

WEAVING MACHINERY

COMPACT RANGE





WEAVING MACHINERY

THE GROWING BUSINESS

The Agrimaster Company is based in Molinella in the industrial North of Italy where they have developed a high level of excellence in flail mower production over the last 35 years. By listening to the requirements of end users in amenity and agriculture for performance and reliability, Agrimaster designed and built mowers with exceptionally large diameter rollers and rotor shafts with flails spread across 8 rows. The reduced power requirement and extra strength of Agrimaster design has made them popular in many countries throughout the world.

The success of the flail mower range resulted in customers requesting the same high standards in other equipment, so that today the Agrimaster range includes arm mounted verge mowers and hedgecutters. The flail mower range has been extended in recent years to include oversized models used in the maintenance of wide areas of land in many developing countries.

The innovative designs and the efficient and environmentally friendly production methods have been recognised by the many awards and quality certification in Italy and the consistent success of the company is a clear indication of its superior product range.

Top quality products at affordable prices was the basis of the Weaving Machinery company when it was founded in 1983 and these objectives are equally important in this family run company today. The best value and performance products are sourced from specialist suppliers throughout Europe whilst the Evesham based factory designs and builds a range of advanced equipment for the agricultural market.

Its consistent long term relationships with customers and suppliers are a measure of the Weaving commitment to the markets it serves. The bond with Agrimaster has grown over the last 15 years helping the success of Weaving Machinery spread beyond the UK.

After sales service has been a major factor in the Companies exceptional growth for more than 30 years and can be depended on without concern. A skilled team of service engineers and a committed parts department ensure that Weaving products will meet their customers every expectation over the extended period of its working life.



COMPACT RANGE

XB Rear Mounted Flail Mower	4/5
XL Offsetting Flail Mower	6/7
Giraffe Hedge Trimmer	8/9
Green Shark Hedgecutter	10/11

XB Rear Mounted Flail Mower



XB Rear Mounted Flail Mower

The versatile XB mower is light enough for use with compact tractors of between 15 and 35HP yet robust enough to cut and mulch everything from long grass, pruning's and briars up to 10mm thick. The full width 140mm diameter rear roller not only gives accurate cutting height control but leaves an attractive striped finish. The manual side shift adjustment makes safe and easy work of cutting alongside fences and ditches. The triple V belt drive absorbs shock loads while the over-run gearbox protects the tractor PTO system for continuous reliability.

Model	Power Req	Weight	Cutting Width	Price
XB 130	15bhp	200Kg	132cm	£1,680
XB 150	20bhp	228Kg	153cm	£1,750
XB 180	25bhp	260Kg	180cm	£1,890

XB Rear Mounted Flail Mower



XL Offsetting Flail Mower



XL Offsetting Flail Mower

The ideal flail mower for trimming roadside verges, ditches and embankments. The XL can be used behind the tractor or hydraulically offset to operate outside the tractor rear wheel. The cutting head can be angled from vertical for siding hedges to 45° downwards into ditches at the touch of a lever. A hydraulic safety break-back system prevents collision damage. The tractor requires 2 individual spool valves and a 540 PTO speed.

Model	Power Req	Weight	Cutting Width	Price
XL 130	20bhp	700Kg	132cm	£2,680
XL 150	25bhp	800Kg	153cm	£3,100
XL 180	30bhp	900Kg	180cm	£3,300

XL Offsetting Flail Mower



Giraffe Hedge Trimmer



Giraffe Hedge Trimmer

Where a neat finish in hedges up to 2cm thick is required, the versatile Giraffe cutterbar hedgecutter has no equal. The hydraulically driven 1.22M blade reciprocates 300 times a minute to give a clean cut and a high work rate. The articulated arm allows a wide range of cutting positions from below tractor width to giving a flat top cut on hedges 2.8M high. Tractors require a hydraulic output of not less than 3-4 Litres/min at a pressure of over 189 bar.



Model	Weight	Cutting Thickness	Price
Giraffe	182Kg	2cm	£3,829

Giraffe Hedge Trimmer



Green Shark Hedge Cutter



Green Shark Hedgecutter

Designed specifically for use with compact tractors with a minimum weight of 1,200Kg, the Green Shark range will mow ditches down to 2.8M below ground level and trim hedges up to 5.9M above ground level with a 120cm cutting width. While small in weight, the Green Shark is big in features that include a safety breakaway system to protect arms from accidental damage. The belt drive system absorbs any shock loads to the high speed flail rotor and hydraulic motor.

Model	Max Cutting Height	Max Sideways Reach	Max Down Bank Reach	Price
320-80	3.8M	3.2M	1.50M	£4,800
400-100	4.8M	4.07M	2.08M	£5,000
500-120	5.9M	5.47M	2.85M	£6,400

Green Shark Hedge Cutter





AGRI MASTER COMPACT RANGE

Contact us:

E F Weaving Ltd.

Chadbury, Evesham, Worcestershire. WR11 4TX

Telephone: (+44) 01386 49155

Fax: (+44) 01386 49156

Website: www.weavingmachinery.net

Edward Weaving:

07831 245 456

Carl Humphries:

07968 315 749 (Sales)

Simon Weaving:

07984 054 918 (Sales)

Mike Lane:

07768 936 661 (Service)

Edward Pocock:

07815 556 501 (Service)

Trevor Brotherton:

07970 928 535 (Parts)

Terms & Conditions

All prices are recommended retail prices (ex-works).

All prices are exclusive of VAT.

In accordance with our policy of continued product development, all prices, sizes, weights and specifications shown on all literature (including price lists) are subject to change without prior notice or obligation.

All goods are shown ex-works and will be subject to specific carriage charges at time of despatch.

Our payment terms are on delivery unless otherwise agreed at time of order.

All goods remain the property of E F Weaving Ltd until paid for in full.

Machine warranty is for 12 months from date of delivery unless specified to the contrary at time of order (some have longer), provided the machine is being used in accordance with the manufacturers instructions. No warranty repairs to be carried out without prior authority of E F Weaving Ltd, so we may assess and send in our engineers if necessary.